




- Base heights listed are total including mounting plate, tube, and adjusting foot
- Bayonet locking of the tube in the mounting plate prevents the tube from pulling out during tilting, especially on tall cabinets
- Plinth panel attaches with the clips shown, or with Velcro applied to the mounting plate recess



### Square Mounting Plate

- For Ø78 mm foot

Material: Plastic; Color: black

Mounting	Item No.
press-fit	637.79.300
screw-mount	637.79.301

**Supplied With**  
4 Plates


### Adjustment Foot/Tube

- For Ø78 mm round mounting plate
- Easily adjusts weights up to 150 kg (330 lbs.) per leg
- Heights listed are total, including mounting plate
- Adjustment range = -10/+18 mm

Material: Plastic; Color: black

Base Height	Item No.
80 (3 1/8")	637.80.350
100 (4")	637.80.351
120 (4 3/4")	637.80.352
150 (6")	637.80.353

**Supplied With**  
4 Feet  
4 Tubes  
Pre-mounted nails



### Plinth Panel Clip

- For rectangular glide

Material: Plastic

Color	Item No.
black	637.81.588

**Supplied With**  
4 Panel holders  
Pre-mounted nails

### Plinth Panel Clip

- Groove-mounted
- For rectangular glide

Material: Plastic

Color	Item No.
black	637.81.590

**Supplied With**  
4 Panel holders

### Plinth Panel Spring

- For front plinth mounting
- Plinth panel is removable with disassembly ring




Material: Stainless Steel

Item No.
637.81.330

**Supplied With**  
20 pcs.

Dimensions in mm  
Inches are approximate

- Base heights listed are total including mounting plate, tube, and adjusting foot
- Bayonet locking of the tube in the mounting plate prevents the tube from pulling out during tilting, especially on tall cabinets
- Plinth panel attaches with the clips shown, or with Velcro applied to the mounting plate recess



### Triangle Mounting Plate

- For Ø46 mm foot

Material: Plastic; Color: black

Mounting	Item No.
press-fit	637.79.310
screw-mount	637.79.311

**Supplied With**  
4 Plates

### Adjustment Foot/Tube

- For Ø46 mm triangle mounting plate
- Heights listed are total, including mounting plate
- Adjustment range = -10/+18 mm
- Weight capacity: 150 kg (330 lbs.) each leg

Material: Plastic; Color: black

Base Height	Item No.
80 (3 1/8")	637.80.360
100 (4")	637.80.361
120 (4 3/4")	637.80.362
150 (6")	637.80.363

**Supplied With**  
4 Feet  
4 Tubes

### Plinth Panel Clip

- For triangular glide

Material: Plastic

Color	Item No.
black	637.81.589

**Supplied With**  
4 Panel holders  
Pre-mounted nails

### Plinth Panel Clip

- Groove-mounted
- For triangular glide

Material: Plastic

Color	Item No.
black	637.81.591

**Supplied With**  
4 Panel holders


### Plinth Panel Spring

- For front plinth mounting
- Plinth panel is removable with disassembly ring


Material: Stainless Steel

Item No.
637.81.330

**Supplied With**  
20 pcs.



Dimensional data not binding. We reserve the right to alter specifications without notice.



### Adjustment Feet

- Slots in base allow for easy adjustment with flat blade driver
- Shaft: Ø28 mm  
 Adjustment Range: -5/+20  
 Weight capacity: 114 kg (250 lbs. per foot)


Material: Plastic; Color: black

Height	Item No.
80 mm (3 3/16")	637.19.380
100 mm (4")	637.19.360

### Note

Height listed is total, including mounting socket.  
 See page **6.24B** for plinth clips and M10 attachment screw.

6




### Adjustment Feet - Short Applications

Height	Item No.
50 mm (2")	637.86.331
70 mm (2 3/4")	637.86.335

### Note

50 mm (2") version will not accept plinth clips.






### Mounting Sockets

- 2 versions to choose from: Screw or through-mounted using M10 attachment screw, see page **6.24B**
- Press-fit versions with expanding pound in dowel to secure

Material: Plastic; Color: black

Mounting	Item No.
screw-mount	637.19.964
pound in dowel-mount - Ø10 mm	637.19.952
pound in dowel-mount - Ø15 mm	637.19.954






Adjustment Foot - XT

- With reversible inner threaded tube to create 2 height ranges: 100 mm - 140 mm (4" - 5 1/2")  
130 mm - 170 mm (5" - 6 3/4")
  - Choose between plastic or metal mounting sockets below
- Shaft Ø28 mm  
Weight capacity: 150 kg (330 lbs. per foot)

Material: Shaft: Steel; Foot: Plastic; Color: black

Item No.
637.59.932

**Note**  
Height ranges include mounting socket.  
See page 6.24B for plinth clips and M10 attachment screw.




Mounting Sockets - XT Plastic

- Both versions can be screw-mounted, or through-mounted using M10 attachment screw, see page 6.24B

Material: Plastic; Color: black

Version	Item No.
round	637.59.980
with additional support tab	637.59.992

**Note**  
Height ranges include mounting socket.




Mounting Sockets - XT Metal

- 2 versions to choose from
- Square is screw-mounted
- Round is for through-mounting only using M10 attachment screw, see page 6.24B


Material: Steel

Version	Item No.
round	637.19.020
square	637.19.060


Dimensional data not binding. We reserve the right to alter specifications without notice.



Spring clip



Groove-mount



Screw-mount

Plinth Clips for Ø28 mm Shafts

Material: Spring Clip: Steel; Adapter: Plastic; Color: black

Description	Item No.
spring clip	637.19.941
groove-mount adapter	637.19.942
screw-mount adapter	637.42.020

Note

Order Spring Clip and choose between screw-mounted or groove-mounted adapters

6



Cap

Material: Plastic

Color	Item No.
white	637.45.791



Attachment Screw - M10

Material: Steel

Finish	Item No.
zinc-plated	637.45.997



Cap

Material: Plastic

Color	Item No.
white	637.45.791



Attachment Screw - M10

Material: Steel

Finish	Item No.
zinc-plated	637.45.997




Leveler

- 2-part
- 3 flat head screws can be used in place of M10 screw
- Adjustment Range: -5 + 10 mm
- Weight rating: 150 kg (330 lbs.) per leg

Material: Plastic; Color: black

Toekick height	Item No.
80 (3 1/8")	637.45.308
100 (4")	637.45.326
120 (4 3/4")	637.45.344
150 (6")	637.45.371




Panel Clip

- 2-part
- Groove-mounted to toekick panel

Material: Plastic

Color	Item No.
black	637.45.915




Panel Clip


- 2-part
- Screw-mounted to toekick panel

Material: Plastic

Color	Item No.
black	637.45.906



Dimensional data not binding. We reserve the right to alter specifications without notice.



Base plate remains stationary during adjustment


Adjuster

- 2-part
- M10 attachment screw with cap
- Shaft: Ø28 mm (1 1/8")

Material: Steel; Finish: zinc

Toekick Height	Item No.
100 - 120 (4" - 4 3/4")	637.19.219
120 - 140 (4 3/4" - 5 1/2")	637.19.228
150 - 170 (6" - 6 3/4")	637.19.237

6




Panel Clip

- 2-part
- Groove-mounted to toekick panel

Material: Plastic, Steel

Color	Item No.
black	637.19.915



Panel Clip


- 2-part
- Screw-mounted to toekick panel

Material: Plastic, Steel

Color	Item No.
black	637.19.906



- Offers a wider range of adjustment with fewer items
- Allows for greater flexibility at installation
- Components ordered separately





Adjustment Foot

Shaft Ø30 mm (1 3/16")  
Weight rating: 250 lbs.

Material: Plastic; Color: black

Base Height	Item No.
91 (3 9/16") - 119 (4 11/16")	637.54.311
141 (5 9/16") - 169 (6 11/16")	637.54.313




Extension Tube

- Offers 50 mm (2") of additional height
- Press-fits into adjustable foot tube

Material: Plastic

Color	Item No.
black	637.54.320




Mounting Socket

- Dowel-mounted

Material: Plastic

Color	Item No.
black	637.54.330




Mounting Socket

- Screw-mounted

Material: Plastic

Color	Item No.
black	637.54.335



Plinth Clip

- Screw-mounted to base panel

Material: Plastic

Color	Item No.
black	637.54.340

Dimensional data not binding. We reserve the right to alter specifications without notice.