
ONEPOINTE SOLUTIONS

LABORATORY | INDUSTRIAL | COMMERCIAL




FLEX SYSTEMS

AN INFORMATIONAL GUIDE FOR OUR UNIVERSAL LABORATORY WORKSTATION.



Table of Contents

| SK | SKU Charts 2 | | | | | | |
|-----|-----------------------------------|----|--|--|--|--|--|
| FL | EX System Bundles | | | | | | |
| • | FLEX Base Bundle | 3 | | | | | |
| • | FLEX Raceway Bundle | | | | | | |
| • | FLEX Plumbing Bundle | 4 | | | | | |
| • | FLEX Max Bundle | 5 | | | | | |
| FL | EX System Width Options | 6 | | | | | |
| FL | EX System Bundle Features | 7 | | | | | |
| • | UL Verified Raceways | | | | | | |
| | (FLEX Raceway Bundle Only) | 8 | | | | | |
| • | WSF Kits & Hoses | O | | | | | |
| | (FLEX Plumbing & Max Bundle Only) | 10 | | | | | |
| • | Ceiling Panels & Shelves | 13 | | | | | |
| | (All FLEX Bundles) | | | | | | |
| Ca | binet Accessories | | | | | | |
| • | Suspended Cabinets | 14 | | | | | |
| • | Mobile Cabinets | 18 | | | | | |
| • | Handles & Pulls | 22 | | | | | |
| Fii | nishes & Additional Accessories | | | | | | |
| • | Powder Coat Options | 23 | | | | | |
| • | Additional Accessories | 23 | | | | | |
| • | Work Surfaces | 24 | | | | | |
| Co | ontact & Nationwide Service | 25 | | | | | |



(866) 612-7312



FLEX Systems

| CATEGORY | - | WIDTH (in), WW | DEPTHS (in) DS/SS | - | BUNDLE | HOSE LENGTH | - | FLUID TYPE | - | # OF SHELVES |
|----------|---|---|--|---|-----------------|-------------|---|--|---|-----------------|
| FLEX | | 36", 42", 48", 54", 60" 66", 72", 84", 96" | 30" - Single-Sided (SS) 60" - Double-Sided (DS) | | BASE = BASE | N/A | | N/A | | 1, 2, 3 |
| | | 36", 42", 48", 54", 60" 66", 72", 84", 96" | 30" - Single-Sided (SS) 60" - Double-Sided (DS) | | RACEWAY = RWCY | N/A | | N/A | | 1, 2, 3 |
| | | 36", 42", 48", 54", 60" 66", 72", 84", 96" | 30" - Single-Sided (SS) 60" - Double-Sided (DS) | | PLUMBING = PLUM | 84", 96" | | Helium, Air, Cold Water, Vacuum, Gas, Argon, Nitogen, Other | | 1, 2, 3 |
| | | 36", 42", 48", 54", 60" 66", 72", 84", 96" | 30" - Single-Sided (SS) 60" - Double-Sided (DS) | | MAX = MAX | 84", 96" | | Helium, Air, Cold Water, Vacuum, Gas, Argon, Nitogen, Other | | 1, 2, 3 |

Suspended Cabinet

| CATEGORY - | HEIGHT (in), HH | WIDTH (in), WW | DEPTH (in), DD | DRAWERS | DOORS | LOCKING | - PULLS |
|------------|--|---|----------------|---------|----------------|----------------------------------|---|
| sus | 03", 06", 09", 12", 15", 18", 21", 24", | 15", 18", 21", 24", 30", 36", 42", 48" | 20", 22" | 0 to 5 | 0 to 2 *L,R | X = Locking Skip for no locks | A = Aluminum Pull W = Wire Stainless Pull |

^{*}Doors: L = Left hinge, R = right hinge, skip for double doors

Mobile Cabinet

| CATEGORY | - HEIGHT (in), HH | WIDTH (in), WW | DEPTH (in), DD | - DRAWERS | DOORS | LOCKING | - PULLS |
|----------|---------------------|---|----------------|-----------|----------------|----------------------------------|---|
| МОВ | 23", 26", 29", 32', | 15", 18", 21", 24", 30", 36", 42", 48" | 20", 22" | 2 to 5 | 1 to 2 *L,R | X = Locking Skip for no locks | A = Aluminum Pull W = Wire Stainless Pull |

^{*}Doors: L = Left hinge, R = right hinge, skip for double doors

Examples

FLEX-60SS-PLUM84-AIR-3

FLEX Plumbing Bundle with a width of 60", single-sided with an 84" hose for air and 3 shelves.

SUS-213622-02X-W

Suspended cabinet with 21" H x 36" W x 22" D, 0 Drawers, 2 Doors, Locking, Wire Stainless Steel Pull

MOB-211222-11RX-W

Mobile cabinet with 21" H x 12" W x 22" D, 1 Drawer1, 1 Door Right-Hinged, Locking, Wire Stainless Steel Pull



Base Bundle

SKU: FLEX-WWDS/SS-BASE-1,2,3

Features

- (0 to 3) Rows of Shelves, Undermount Top Shelf
- · Undershelf Light Compatible
- · Knockout Piece for Data Provisions on Upright
- · Single or Double Sided Assembly
- · Perfect for Island Configuration
- · Heavy Duty Construction
- · Upright Assembly & Accepts All Upright Components
- · Adjustable Shelving
- · Height Adjustable Work Surface
- · Adaptable Design
- · Made with 2" Tube Steel
- · Perfect for Mobile Storage



Knockout Data Piece



Out of our FLEX Bundles, the FLEX Base bundle is the simplest form of a FLEX system that you can achieve. You can keep it as is or use it to build out the FLEX system you desire. It comes with a height adjustable work surface, shelving, and single or double-sided assembly.

Unlike other tables, our FLEX systems can have a work surface on both sides of a shared upright tower, allowing you to maximize your environment and save space.

Made in America, built to be long-lasting, and SEFA certified, you can design and customize, our Base FLEX system to fit your lab.

| CONFIGURATIONS OPTIONS | | | | | | | |
|------------------------|--|----------------------|-------------|--------------|--|--|--|
| HEIGHT | WIDTH | DEPTH | SHELF DEPTH | # of SHELVES | | | |
| 84" | 36", 42", 48", 54", 60", 66", 72", 84", 96" | 30" (SS) 60" (DS) | 13", 16" | 1,2,3 | | | |



Raceway Bundle

SKU: FLEX-WWDS/SS-RCWY-1,2,3

Features


- · (0-3) Rows of Shelves; Undermount Top Shelf
- · Undershelf Light Compatible
- · UL Approved Raceways
- · Knockout Piece for Data Provisions on Upright
- · Single or Double Sided Assembly
- · Perfect for Island Configuration
- · Heavy Duty Construction
- Upright Assembly & Accepts All Upright Components
- · Adjustable Shelving
- · Height Adjustable Work Surface
- · Adaptable Design
- · Made with 2" Tube Steel
- · Perfect for Mobile Storage





Raceway

Knockout Data Piece



In addition, like all of our FLEX system bundles, the Raceway FLEX Bundle comes with a height adjustable work surface, shelving and single or double sided assembly. Unlike other tables, this system can have a work surface on both sides of a shared upright tower, allowing you to maximize your environment and save space.

Made in America, built to be long-lasting, and SEFA certified, you can design and customize, our Raceway FLEX system to fit your lab. CONFIGURATIONS OPTIONS HEIGHT WIDTH DEPTH SHELF DEPTH # of SHELVES 84" 36", 42", 48", 54", 60", 60" (DS) 13", 16" 1,2,3





Plumbing Bundle

SKU: FLEX-WWDS/SS-PLUM84/96-FLUIDTYPE-1,2,3

Features

- · (0-3) Rows of Shelves; Undermount Top Shelf
- · Undershelf Light Compatible
- (1) Air/Cold Water/Gas/Vacuum/Helium/Other/Argon/Nitrogen WSF Kit
 - · Blade Handle Ball Valve
 - PVC Hose (Stainless Steel Hose for Gas and Nitrogen)
 - · Quick Connects
- · Max of (3) Valves Can Fit on FLEX Bundle
- · Knockout Piece for Data Provisions on Upright
- · Single or Double Sided Assembly
- · Perfect for Island Configuration
- · Heavy Duty Construction
- · Upright Assembly & Accepts All Upright Components
- · Adjustable Shelving
- · Height Adjustable Work Surface
- · Adaptable Design
- · Made with 2" Tube Steel
- · Perfect for Mobile Storage







Valve



Knockout Data Piece

When you need fluid services attached to your lab bench the Plumbing FLEX Bundle works best. Each comes with a WSF kit customized to fit your selected fluid(s) options including helium, nitrogen, cold water, and more.

In addition, like all of our FLEX system bundles, the Plumbing FLEX Bundle comes with a height adjustable work surface, shelving and single or double sided assembly. Unlike other tables, this system can have a work surface on both sides of a shared upright tower, allowing you to maximize your environment and save space.

Made in America, built to be long-lasting, and SEFA certified, you can design and customize, our Plumbing FLEX system to fit your lab.

CONFIGURATIONS OPTIONS

| HEIGHT | WIDTH | DEPTH | HOSE LENGTH | FLUID TYPE | SHELF DEPTH | WORK SURFACE |
|--------|--|--------------------------|-------------|--|-------------|--------------|
| 84" | 36", 42", 48", 54", 60", 66", 72", 84", 96" | 30" - (SS) 60" - (DS) | 84", 96" | Air, Argon, Cold Water, Gas, Helium, Nitrogen, Vacuum, Other | 13", 16" | 1,2,3 |





Max Bundle

SKU: FLEX-WWDS/SS-MAX84/96-FLUIDTYPE-1,2,3

Features

- (0-3) Rows of Shelves; Undermount Top Shelf
- · Undershelf Light Compatible
- (1) Air/Cold Water/Gas/Vacuum/Helium/Other/Argon/Nitrogen WSF Kit Included:
 - · Blade Handle Ball Valve
 - PVC Hose (Stainless Steel Hose for Gas and Nitrogen)
 - · Quick Connects
- · Max of (3) Valves Can Fit on FLEX Bundle
- · UL Verified Raceway
- · Knockout Piece for Data Provisions on Upright
- · Single or Double Sided Assembly
- · Perfect for Island Configuration
- · Heavy Duty Construction
- · Upright Assembly & Accepts All Upright Components
- · Adjustable Shelving
- · Height Adjustable Work Surface
- · Adaptable Design
- · Made with 2" Tube Steel
- · Perfect for Mobile Storage









PVC Hose

Valve

Raceway

Knockout Data Piece

The Max FLEX bundle is the combination of both our Raceway and Plumbing FLEX bundles. It comes with UL verified raceways, and a WSF kit configured to your selected fluid(s).

Made in America, built to be long-lasting, and SEFA certified, you can design and customize, our Max FLEX system to fit your lab.


CONFIGURATIONS OPTIONS

| HEIGHT | WIDTH | DEPTH | HOSE LENGTH | FLUID TYPE | SHELF DEPTH | # OF SHELVES |
|--------|--|--------------------------|-------------|--|-------------|--------------|
| 84" | 36", 42", 48", 54", 60", 66", 72", 84", 96" | 30" - (SS) 60" - (DS) | 84", 96" | Air, Argon, Cold Water, Gas, Helium, Nitrogen, Vacuum, Other | 13", 16" | 1,2,3 |






Width Options





Raceways

Single-Sided Single Circuit PS130 Raceways



| SINGLE-SIDED FLEX WIDTH | RACEWAY SKU | RACEWAY LENGTH | # OF CIRCUITS | # OF DUPLEX CIRCUITS | # OF GFCI OUTLETS |
|----------------------------|-------------------|-------------------|---------------|-------------------------|----------------------|
| 36" | FXPWR-36SS-1C1D1G | 29" | 1 | 1 | 1 |
| 42" | FXPWR-42SS-1C1D1G | 35" | 1 | 1 | 1 |
| 48" | FXPWR-48SS-1C2D1G | 41" | 1 | 2 | 1 |
| 54" | FXPWR-54SS-1C2D1G | 47" | 1 | 2 | 1 |
| 60" | FXPWR-60SS-1C3D1G | 53" | 1 | 3 | 1 |
| 66" | FXPWR-66SS-1C3D1G | 59" | 1 | 3 | 1 |
| 72" | FXPWR-72SS-1C4D1G | 65" | 1 | 4 | 1 |
| 84" | FXPWR-84SS-1C4D1G | 77" | 1 | 4 | 1 |
| 96" | FXPWR-96SS-1C4D1G | 89" | 1 | 4 | 1 |



cic

FRONT FACE


BACK FACE

20A GFCI Grey

NEMA 5-20R

Raceways

Double-Sided Double Circuit PS130 Raceways




NEMA L14-20P Twist Lock Plug w/8'12 AWG SJEOOW





| DOUBLE-SIDED FLEX WIDTH | RACEWAY SKU | RACEWAY LENGTH | # OF CIRCUITS | # OF DUPLEX OUTLEYS/SIDE | # OF GFCI OUTLETS/SIDE |
|----------------------------|-------------------|-------------------|---------------|-----------------------------|---------------------------|
| 36" | FXPWR-36DS-2C2D2G | 29" | 2 | 1 | 1 |
| 42" | FXPWR-42DS-2C2D2G | 35" | 2 | 1 | 1 |
| 48" | FXPWR-48DS-2C4D2G | 41" | 2 | 2 | 1 |
| 54" | FXPWR-54DS-2C4D2G | 47" | 2 | 2 | 1 |
| 60" | FXPWR-60DS-2C6D2G | 53" | 2 | 3 | 1 |
| 66" | FXPWR-66DS-2C6D2G | 59" | 2 | 3 | 1 |
| 72" | FXPWR-72DS-2C8D2G | 65" | 2 | 4 | 1 |
| 84" | FXPWR-84DS-2C8D2G | 77" | 2 | 4 | 1 |
| 96" | FXPWR-96DS-2C8D2G | 89" | 2 | 4 | 1 |







WSF Plumbing


Plumbing Service Add-On


FXWSF - BBDS/SS - AIR - 84/96

FLEX WSF Category Type of Valve, Double Sided/Single Sided

Type of Fluid

Hose Length





| CATEGORY | _ | VALVE TYPE | DEPTHS (in) DS/SS | _ | FLUID TYPE | _ | HOSE LENGTH |
|----------|---|---|--|---|--|---|-------------|
| FXWSF | | BBSS: Blade Handle Ball Valve (Single-Sided) BBDS: Blade Handle Ball Valve (Double-Sided) RNSS: Round Handle Needle Valve (Single-Sided) RNDS: Round Handle Needle Valve (Double-Sided) | 30" - Single-Sided (SS) 60" - Double-Sided (DS) | | Helium, Air, Cold Water, Vacuum, Gas, Argon, Nitogen, Other | | 84", 96" |

Example

FXWSF-BBSS-COLD WATER-96

FLEX Plumbing Service Add-On, with a ball valve, single-sided with a 96" PVC hose for cold water.

NOTE: For Gas and Nitrogen, a stainless steel hose will be used.



WSF Plumbing


Valves

Needle Valves

INV010-16-14BV-158

Furnished with BI637-01-14R


used with single-sided FLEX



INV010-16-14BV-141

Furnished with BI637-02-04R

used with double-sided FLEX




Ball Valves

L4200-158

Furnished with BI637-01-14R


used with single-sided FLEX



L4200-141

Furnished with BI637-02-04R

used with double-sided FLEX




Color Guide For Fluids

K1- Black - Helium K5 - Blue - Gas
K2 - Orange - Air K6 - White - Other
K3 - Green - Cold Water/ Water/ H20 K7 - Violett - Argon (shown as purple sometimes)



Ceiling Panels & Shelves

Ceiling Panels Add-On



FXCP-WW-DD

Features

- Comes With Every FLEX System Regardless of Configuration
- · Can be Shared by (2) Adjacent FLEX Systems
- Holds Maximum of (4) Plumbing Services & (4) Electrical Connections per FLEX System Shared
- · Sits on Ceiling Grid
- · Pre-Drilled Holes Available

| CONFIGURATION OPTIONS | | | | | | | |
|-----------------------|----------|--|--|--|--|--|--|
| WIDTHS | DEPTHS | | | | | | |
| 24" | 12", 24" | | | | | | |

Shelves Add-On



FXSAS-DS/SS-WWDD-UANG/ANG-PCS

| CONFIGURATION OPTIONS | | | | | | |
|-----------------------|----------|--|--|--|--|--|
| DOUBLE/SINGLE-SIDED | DEPTHS | | | | | |
| DS/SS | 13", 16" | | | | | |

| CONFIGURATION CHART | | |
|---------------------|-----------------|-----------------|
| FLEX WIDTH | 13" SHELF DEPTH | 16" SHELF DEPTH |
| 36" | 3613 | 3616 |
| 42" | 4213 | 4216 |
| 48" | 4813 | 4816 |
| 54" | 2713D | 2716D |
| 60" | 3013D | 3016D |
| 66" | 3313D | 3316D |
| 72" | 3613D | 3616D |
| 84" | 4213D | 4216D |
| 96" | 4813D | 4816D |

FLEX systems with widths of 54" or above, (2) shelves will be added to complete a row. Represented by "D" in the chart.



Suspended Cabinets

SKU: SUS-HHWWDD-L/RX-A/W

Features

- 18 GA Sheet Metal Construction
- Soft-Closing Drawers and Doors
- 1x Adjustable Shelf (Doors)
- · Concealed Hinges
- · Heavy-Duty Construction
- Powder Coated-Metal or Stainless Steel
- · Customizable Drawer/Door Fronts



Sometimes you need direct access to a cabinet without having to leave your work area. That's where our suspended cabinets come into play.

Our suspended cabinets are designed to be fastened beneath the work surface of any of our lab tables. Once installed they are a solution that is very robust and becomes part of the table.

Suspended cabinets can be manufactured in cold-rolled powder-coated steel or 304 stainless steel to accommodate different area requirements. Designed to be long-lasting and SEFA certified, our suspended cabinets are the perfect addition for your workspace needs.

CONFIGURATION OPTIONS

| HEIGHTS | WIDTHS | DEPTHS | DRAWERS |
|--|---|----------|---------|
| 03", 06", 09", 12", 15", 18", 21", 24", 27" | 15", 18", 21", 24", 30", 36", 42", 48" | 20", 22" | 0 TO 5 |

| DOORS | DOOR HINGE | LOCKING | PULLS |
|--------|---|--------------------------------|--|
| 0 TO 2 | L = LEFT R = RIGHT SKIP FOR DOUBLE DOOR | X=LOCKING SKIP FOR NO LOCKS | A = ALUMINUM PULL W = WIRE STAINLESS PULL |


CUSTOM SIZES AVAILABLE UPON REQUEST



AVAILABLE HEIGHTS ARE LISTED ABOVE CONFIGURATIONS SUS-HHWWDD-10-A/W 1 DRAWER 12" 09" 06" 03" SUS-HHWWDD-20-A/W 24" **2 DRAWERS** 18" 15" 12" SUS-HHWWDD-30-A/W 27" 24" **3 DRAWERS** 21" 18" 12" SUS-HHWWDD-40-A/W 27" 24" **4 DRAWERS** 21" 18" SUS-HHWWDD-50-A/W 27" **5 DRAWERS** 21" 18"

SUS-HHWWDD-01L/R-A/W

1 **DOOR**



CABINETS WITH WIDTHS LESS THAN 30" WILL HAVE (1) DOOR.

AVAILABLE HEIGHTS: 18", 21", 24", 27"

SUS-HHWWDD-02-A/W

2 DOORS



CABINETS WITH WIDTHS OF 30" OR MORE WILL HAVE (2) DOORS.

AVAILABLE HEIGHTS: 18", 21", 24", 27"



AVAILABLE HEIGHTS: 18", 21", 24", 27"

SUS-HHWWDD-11L/R-A/W



AVAILABLE HEIGHTS: 18", 21", 24", 27"

SUS-HHWWDD-12-A/W



AVAILABLE HEIGHTS: ALL

SUS-HHWWDD-00



AVAILABLE HEIGHTS: 21", 24", 27"

SUS-HHWWDD-22-A/W







Suspended Cabinet Compatibility


| SUSPENDED C | SUSPENDED CABINET SKU CHART | | |
|--------------------------|-----------------------------|--|--|
| SUSPENDED CABINET HEIGHT | SKU NUMBER | | |
| 03" | SUS-03WWDD-R/LX-A/W | | |
| 06" | SUS-06WWDD-R/LX-A/W | | |
| 09" | SUS-09WWDD-R/LX-A/W | | |
| 12" | SUS-12WWDD-R/LX-A/W | | |
| 15" | SUS-15WWDD-R/LX-A/W | | |
| 18" | SUS-18WWDD-R/LX-A/W | | |
| 21" | SUS-21WWDD-R/LX-A/W | | |
| 24" | SUS-24WWDD-R/LX-A/W | | |
| 27" | SUS-27WWDD-R/LX-A/W | | |

| FLEX TABLE HEIGHTS | SUSPENDED CABINET HEIGHTS |
|--------------------|---|
| 30" | 03", 06", 09", 12", 15", 18", 21", 24" |
| 32" | 03", 06", 09", 12", 15", 18", 21", 24", 27" |
| 34" | 03", 06", 09", 12", 15", 18", 21", 24", 27" |
| 36" | 03", 06", 09", 12", 15", 18", 21", 24", 27" |

NOTE: FLEX system work surfaces are adjustable from 30"-36" in 2" increments.

| FLEX TABLE WIDTHS | SUSPENDED CABINET WIDTHS |
|-------------------|--|
| 36" | 15", 18", 21", 24", 30" |
| 42" | 15", 18", 21", 24", 30", 36" |
| 48" | 15", 18", 21", 24", 30", 36", 42" |
| 54"-96" | 15", 18", 21", 24", 30", 36", 42", 48" |







Mobile Cabinets

SKU: MOB-HHWWDD-L/RX-A/W

Features

- · 18 GA Sheet Metal Construction
- · Soft-Closing Drawers and Doors
- 1x Adjustable Shelf
- Plate Casters
- · Standard 1" Metal Top or Lab Worksurface
- · Anti-Tip Design
- · Concealed Hinges
- · Heavy-Duty Construction
- Powder Coated Metal, Stainless Steel or Plastic Laminate
- Customizable Drawer/Door Fronts



Whether your process requires it or if you just want to build the ultimate flexible lab, our mobile cabinets are a great solution. Furnishing your space with our mobile cabinets contributes to present-day adaptable and flexible space design techniques that are popular in any laboratory.

Mobile cabinets can be manufactured in cold-rolled powder-coated steel or 304 stainless steel to accommodate different area requirements. Designed to be long-lasting and SEFA certified, our suspended cabinets are the perfect addition to your workspace needs.

CONFIGURATION OPTIONS


| HEIGHTS | WIDTHS | DEPTHS | DRAWERS |
|-------------------------|---|----------|---------|
| 23", 26", 29", 32', 35" | 15", 18", 21", 24", 30", 36", 42", 48" | 20", 22" | 0 TO 5 |

| DOORS | DOOR HINGE | LOCKING | PULLS |
|--------|---|--------------------------------|--|
| 0 TO 2 | L = LEFT R = RIGHT SKIP FOR DOUBLE DOOR | X=LOCKING SKIP FOR NO LOCKS | A = ALUMINUM PULL W = WIRE STAINLESS PULL |

CUSTOM SIZES AVAILABLE UPON REQUEST



HEIGHTS ARE LISTED ABOVE CONFIGURATIONS. **NOTE:** HEIGHTS DO NOT ACCOUNT FOR THE $1^{\prime\prime}$ TOP THAT NEEDS TO BE SELECTED ON MOBILES.





(L) (R)

CABINETS WITH WIDTHS OF 24" OR LESS WILL HAVE (1) DOOR.

MOB-HHWWDD-02-A/W

2 DOORS



CABINETS WITH WIDTHS OF 30" OR MORE WILL HAVE (2) DOORS.

DUAL COMBINATIONS



AVAILABLE HEIGHTS: ALL



AVAILABLE HEIGHTS: 26", 29", 32", 35"



MOB-HHWWDD-22-A/W

AVAILABLE HEIGHTS: 26", 29", 32", 35"








Mobile Cabinet Compatibility


| MOBILE CABINET SKU CHART | |
|----------------------------------|---------------------|
| MOBILE CABINET HEIGHT SKU NUMBER | |
| 23" | MOB-23WWDD-R/LX-A/W |
| 26" | MOB-26WWDD-R/LX-A/W |
| 29" | MOB-29WWDD-R/LX-A/W |
| 32" | MOB-32WWDD-R/LX-A/W |
| 35" | MOB-35WWDD-R/LX-A/W |

| FLEX TABLE HEIGHTS | MOBILE CABINET HEIGHTS |
|--------------------|------------------------|
| 36" | 23", 26", 29", 32" |
| 34" | 23", 26", 29" |
| 32" | 23", 26", 29" |
| 30" | 23", 26" |

NOTE: FLEX system work surfaces are adjustable from 30"-36" in 2" increments.

| FLEX TABLE WIDTHS | SUSPENDED CABINET WIDTHS |
|-------------------|--|
| 36" | 15", 18", 21", 24", 30" |
| 42" | 15", 18", 21", 24", 30", 36" |
| 48" | 15", 18", 21", 24", 30", 36", 42" |
| 54"-96" | 15", 18", 21", 24", 30", 36", 42", 48" |





ONEPOINTE SOLUTIONS







Powder Coat Options Available





Custom Pull Options Available





Powder-Coat Options

RAL Colors



Non-Color Options*



^{*}Suspended & mobile cabinets only

Need a Custom Color?

Want a color you do not see? No worries we can help you get virtually any color for your casework. Let us know and we will do our best to get you virtually any color in the color wheel and even those that are not too. Our fabrications can be faced with a wide selection of hues and finishes, from bold to subdued. **Note: Available Upon Request; some colors may require a minimum order.**

Additional Accessories





CPU HOLDER

KEYBOARD TRAY


(866) 612-7312 23 www.onepointesolutions.com

Work Surface Options



Epoxy resin is a quality material that is resistant to most chemicals, moisture, impact, and heat; it's the ideal solution for environments that are very corrosive or have a high level of moisture.

Note: Epoxy resin is a color-through material.



Phenolic resin countertops and tabletops meet the requirements of most laboratories while including additional benefits such as chemical, wear, and water resistance.

Note: All phenolic resin countertops come with a black core regardless of color selected.



CONTACT US

1112 Swenson Blvd, Elgin, Texas 78621 | (866) 612-7312

www.onepointesolutions.com | info@onepointesolutions.com

NATIONWIDE SERVICE

Our projects can be found in: New York, Chicago, Los Angeles, San Antonio, Dallas, Houston, Atlanta, Cheyenne, Des Moines, San Diego, Washington DC, San Francisco, Nashville, Honolulu, and just about everywhere else. Want to view a reference project in your area? Just ask!









ONEPOINTE SOLUTIONS